


INSPINIA T9 SQ Keypad

9 Point Glass Keypad - Datasheet




Metal Frame Options


● Black




● Silver



● Gold




Product Side Views





Product & Back Box Dimensions

Front view with and without metal frame (mm)




Back and side view with metal frame (mm)




Required Back Box

EU Standard 1G, Isometric view (mm)



INSPINIA T9 SQ Keypad

9 Point Glass Keypad - Datasheet



Product Specifications

Hardware / Software:	ARM A7 Single-Core 1.2 GHz / 128MB DDR3 Ram / 2GB SD Flash		
	OS Linux 3.4 with Inspinia Application up to 1000 BMS points		
	Initial license: 100 BMS points / No HVAC (VRV/VRF) point		
Touch Pad:	1 to 9 Capacitive touch points		
	RGB LED's for each pad		
Standard Artwork (Ref.):	1 Point (ART-S1P) 2 Points (ART-S2P) 4 Points (ART-S4P) 6 Points (ART-S6P) 9 Points (ART-S9P) 		
Power Supply:	24VDC In		
	POE IEEE 802.3af		
	Power consumption max. 4W		
Standard Interfaces:	1x LAN RJ45 10/100Mbps interface		
	1x Add-On Port (Optional Interface Port)		
	1x Digital Out (5VDC)		
	1x Digital In		
Built-in Sensors:	Humidity sensor range 0% up to 100% RH		
	Temperature sensor range -40°C up to +125°C		
	Motion sensor (PIR) 80 degree angle up to 5 meter (optional w/ order code)		
Optional Interfaces (Ref.):	KNX TP (A-KNX) Bticino (SCS) TP(A-SCS) iNELS Bus TP (A-iBUS) Galvanic isolated RS485 Modbus (A-GRS4) VRF mainline communication (A-VXX) Zigbee 3.0 (A-ZGB) 		
Working Temperature & Humidity:	-10°C – +60°C		
	5% – 90% at 25°C		
Certificates and Compatibility:			

Order Code(s)

IT9
IT9-M

: Inspinia SQ Keypad
: Inspinia SQ Keypad w/ Motion Sensor




Inspiration for your **living space**


www.inspinia.eu

INSPINIA T9 SQ Keypad

9 Point Glass Keypad - Installation Manual




PORTS & CONNECTIONS



1 ADD-ON BUS



2 24V DC




3 ETHERNET

4 I / O (5VDC)



5 ADD-ON PORT

HOW TO MOUNT YOUR INSPINIA



Local Web Interface

Default IP : 192.168.2.100
Username : admin
Password : aEuXW6gn



Inspiration for your **living space**

www.inspinia.eu